

Index Volume 38

RUBBER CHEMISTRY AND TECHNOLOGY

AUTHOR INDEX

	Issue	Page		Issue	Page
ANDERSON, R. K., see PATTERSON, R. G.	(4)	832	—, G. GEE, G. HOLDEN, and G. R. WILLIAMSON, Studies in the thermodynamics of polymer-liquid systems. I. Natural rubber and polar liquids ..	(2)	314
ANDREWS, E. H., Spherulite morphology in thin films of natural rubber	(1)	33	—, G. GEE, M. N. JONES, and W. D. TAYLOR, Studies in the thermodynamics of polymer-liquid systems. II. A reassessment of published data	(2)	325
—, Crystalline morphology in thin films of natural rubber: crystallization under strain	(1)	45	BRISTOW, G. M., Use of sol-gel analysis to estimate chain scission during vulcanization. II. Peroxide vulcanization of synthetic <i>cis</i> -polyisoprene ..	(2)	367
ANDRONOVA, G. I., see TARASOVA, Z. N.	(3)	666	BRZENK, F., see BANKS, S. A.	(1)	158
ANGIER, D. J., and E. M. FETTES, Role of elastomers in impact-resistant polystyrene	(5)	1164	BUCCI, G., and T. SIMONAZZI, Contribution to the study of ethylene-propylene copolymers by infrared spectroscopy. Distribution of monomeric units	(2)	334
ANGIOLETTI, A., S. ECCHER, O. POLVARA, and V. ZERBINI, Rubber birefringence and photoelasticity	(5)	1115	BUECHE, F., see HALPIN, J. C.	(2)	278
APUKHTINA, N. P., see MYULLER, B. E.	(2)	452	BULLARD, H. L., see SPACHT, R. B.	(1)	134
ARAKAWA, M., see SUIITO, E.	(1)	219	BYWATER, S., see WORSFOLD, D. J.	(3)	627
ARCOZZI, R., see CRESPI, G.	(3)	590	CAIN, W. P., see MAKOWSKI, H. S.	(3)	599
AUFDERMARSH, C. A., JR., and R. PARISER, <i>Cis</i> -polychloroprene	(3)	526	CARDEW, K. H. F., see GILES, C. G.	(4)	840
AUFETIT, A., Determination of the surface tension of latex	(1)	170	CHEN, H. Y., Determination of <i>cis</i> -1,4 and <i>trans</i> -1,4 contents of polyisoprenes by high resolution nuclear magnetic resonance	(1)	90
BANERJEE, S., see SAXENA, K. K.	(1)	212	CHUBAROVA, G. V., see REZTSOVA, E. V.	(3)	657
—, see BHATNAGAR, S. K.	(4)	961	CLAYTON, R. E., see VANDERBILT, B. M.	(2)	379
BANKS, S. A., F. BRZENK, J. A. RAE, and C. S. HWA, Effect of intracarcass pressure buildup on tubeless tire performance	(1)	158	CODDINGTON, D. M., W. D. MARSH, and H. C. HODGES, New approach to tire durability testing	(4)	741
BARKER, M. G., see URANECK, C. A.	(4)	802	COLLINS, J. M., W. L. JACKSON, and P. S. OUBRIDGE, Relevance of elastic and loss moduli of tire components to tire energy losses	(2)	400
BASEDEN, G. A., Compounding an ethylene propylene terpolymer elastomer for dynamic applications	(4)	967	COOK, R. D., see DAVISON, S.	(3)	475
BASSI, A. C., Measurements of friction of elastomers by the skid resistance tester	(1)	112	CORAN, A. V., Vulcanization. Part VII. Kinetics of sulfur vulcanization of natural rubber in presence of delayed-action accelerators	(1)	1
BEATTY, J. R., and A. E. JUVE, Rotating ring crack growth test	(4)	719	COUNG, T. C., see RIBAILLIER, D.	(2)	450
BELYAEVA, E. N., see DOGADKIN, B. A.	(1)	204	CRAMER, H. I., Benjamin S. Garvey, Jr. —22nd Charles Goodyear medalist ..	(3)	xxix
BENNETT, J. V., R. W. PEARSON, and I. G. MILLS, New techniques for radiation vulcanization	(1)	94	CRESPI, G., and A. ARCOZZI, Crosslinking in low unsaturation rubbers	(3)	590
BERGER, A. E., and W. SZUKIEWICZ, High-performance toluene diisocyanate-polypropylene glycol castable elastoplastics	(1)	150	DAVIS, D. D., see SLICHTER, W. P.	(3)	517
BERNSTEIN, B., E. A. KEARSEY, and L. J. ZAPAS, Study of stress relaxation with finite strain	(1)	76	DAVISON, S., M. A. DEISZ, D. J. MEIER, and R. J. REYNOLDS, Laboratory testing of tread-stock abrasion resistance at constant transmitted power. I. Comparison of road and laboratory data at various severities	(3)	457
BEVLACQUA, E. M., Space and style in RUBBER CHEMISTRY AND TECHNOLOGY ..	(4)	x	—, and R. D. COOK, Laboratory testing of tread-stock abrasion resistance at constant transmitted power. II. A new laboratory abrasion instrument	(3)	475
—, Effects of oxygen on natural rubber latex	(5)	1214	DEISZ, M. A., see DAVISON, S.	(3)	457
—, and W. J. WENISCH, Aging of SBR	(3)	647	DOGADKIN, B. A., M. S. FELDSTEIN, and E. M. BELYAEVA, Reactions of accelerators of vulcanization with rubbers of different structures	(1)	204
BHATNAGAR, S. K., and S. BANERJEE, Viscosity and molecular weight of masticated styrene-butadiene rubber	(4)	961			
BIANCHI, E., see BIANCHI, U.	(2)	343			
BIANCHI, U., and E. BIANCHI, A transition in <i>cis</i> -1,4-polybutadiene	(2)	343			
—, see PEDEMONTE, E.	(2)	347			
BOONSTRA, B. B., and G. L. TAYLOR, Swelling of filled rubber vulcanizates	(4)	943			
BOOTH, C., Mechanical degradation of polymers	(3)	509			

Index Volume 38

RUBBER CHEMISTRY AND TECHNOLOGY

AUTHOR INDEX

	Issue Page		Issue Page
ANDERSON, R. K., see PATTERSON, R. G.	(4) 832	—, G. GEE, G. HOLDEN, and G. R. WILLIAMSON, Studies in the thermodynamics of polymer-liquid systems. I. Natural rubber and polar liquids ..	(2) 314
ANDREWS, E. H., Spherulite morphology in thin films of natural rubber	(1) 33	—, G. GEE, M. N. JONES, and W. D. TAYLOR, Studies in the thermodynamics of polymer-liquid systems. II. A reassessment of published data	(2) 325
—, Crystalline morphology in thin films of natural rubber: crystallization under strain	(1) 45	BRISTOW, G. M., Use of sol-gel analysis to estimate chain scission during vulcanization. II. Peroxide vulcanization of synthetic <i>cis</i> -polyisoprene ..	(2) 367
ANDRONOVA, G. I., see TARASOVA, Z. N.	(3) 666	BRZENK, F., see BANKS, S. A.	(1) 158
ANGIER, D. J., and E. M. FETTES, Role of elastomers in impact-resistant polystyrene	(5) 1164	BUCCI, G., and T. SIMONAZZI, Contribution to the study of ethylene-propylene copolymers by infrared spectroscopy. Distribution of monomeric units	(2) 334
ANGIOLETTI, A., S. ECCHER, O. POLVARA, and V. ZERBINI, Rubber birefringence and photoelasticity	(5) 1115	BUECHE, F., see HALPIN, J. C.	(2) 278
APUKHTINA, N. P., see MYULLER, B. E.	(2) 452	BULLARD, H. L., see SPACHT, R. B.	(1) 134
ARAKAWA, M., see SUIITO, E.	(1) 219	BYWATER, S., see WORSFOLD, D. J.	(3) 627
ARCOZZI, R., see CRESPI, G.	(3) 590	CAIN, W. P., see MAKOWSKI, H. S.	(3) 599
AUFDERMARSH, C. A., JR., and R. PARISER, <i>Cis</i> -polychloroprene	(3) 526	CARDEW, K. H. F., see GILES, C. G.	(4) 840
AUFETIT, A., Determination of the surface tension of latex	(1) 170	CHEN, H. Y., Determination of <i>cis</i> -1,4 and <i>trans</i> -1,4 contents of polyisoprenes by high resolution nuclear magnetic resonance	(1) 90
BANERJEE, S., see SAXENA, K. K.	(1) 212	CHUBAROVA, G. V., see REZTSOVA, E. V.	(3) 657
—, see BHATNAGAR, S. K.	(4) 961	CLAYTON, R. E., see VANDERBILT, B. M.	(2) 379
BANKS, S. A., F. BRZENK, J. A. RAE, and C. S. HWA, Effect of intracarcass pressure buildup on tubeless tire performance	(1) 158	CODDINGTON, D. M., W. D. MARSH, and H. C. HODGES, New approach to tire durability testing	(4) 741
BARKER, M. G., see URANECK, C. A.	(4) 802	COLLINS, J. M., W. L. JACKSON, and P. S. OUBRIDGE, Relevance of elastic and loss moduli of tire components to tire energy losses	(2) 400
BASEDEN, G. A., Compounding an ethylene propylene terpolymer elastomer for dynamic applications	(4) 967	COOK, R. D., see DAVISON, S.	(3) 475
BASSI, A. C., Measurements of friction of elastomers by the skid resistance tester	(1) 112	CORAN, A. V., Vulcanization. Part VII. Kinetics of sulfur vulcanization of natural rubber in presence of delayed-action accelerators	(1) 1
BEATTY, J. R., and A. E. JUVE, Rotating ring crack growth test	(4) 719	COUNO, T. C., see RIBAILLIER, D.	(2) 450
BELYAEVA, E. N., see DOGADKIN, B. A.	(1) 204	CRAMER, H. I., Benjamin S. Garvey, Jr. —22nd Charles Goodyear medalist ..	(3) xxix
BENNETT, J. V., R. W. PEARSON, and I. G. MILLS, New techniques for radiation vulcanization	(1) 94	CRESPI, G., and A. ARCOZZI, Crosslinking in low unsaturation rubbers	(3) 590
BERGER, A. E., and W. SZUKIEWICZ, High-performance toluene diisocyanate-polypropylene glycol castable elastoplastics	(1) 150	DAVIS, D. D., see SLICHTER, W. P.	(3) 517
BERNSTEIN, B., E. A. KEARSEY, and L. J. ZAPAS, Study of stress relaxation with finite strain	(1) 76	DAVISON, S., M. A. DEISZ, D. J. MEIER, and R. J. REYNOLDS, Laboratory testing of tread-stock abrasion resistance at constant transmitted power. I. Comparison of road and laboratory data at various severities	(3) 457
BEVLACQUA, E. M., Space and style in RUBBER CHEMISTRY AND TECHNOLOGY ..	(4) x	—, and R. D. COOK, Laboratory testing of tread-stock abrasion resistance at constant transmitted power. II. A new laboratory abrasion instrument	(3) 475
—, Effects of oxygen on natural rubber latex	(5) 1214	DEISZ, M. A., see DAVISON, S.	(3) 457
—, and W. J. WENISCH, Aging of SBR	(3) 647	DOGADKIN, B. A., M. S. FELDSTEIN, and E. M. BELYAEVA, Reactions of accelerators of vulcanization with rubbers of different structures	(1) 204
BHATNAGAR, S. K., and S. BANERJEE, Viscosity and molecular weight of masticated styrene-butadiene rubber	(4) 961		
BIANCHI, E., see BIANCHI, U.	(2) 343		
BIANCHI, U., and E. BIANCHI, A transition in <i>cis</i> -1,4-polybutadiene	(2) 343		
—, see PEDEMONTE, E.	(2) 347		
BOONSTRA, B. B., and G. L. TAYLOR, Swelling of filled rubber vulcanizates	(4) 943		
BOOTH, C., Mechanical degradation of polymers	(3) 509		

- , see TARASOVA, Z. N. (3) 661
666
- DUCKWORTH, I. H., Creamed latex concentrate (2) 233
- DUNN, J. R., Effect of extraction and rubber purity on stress relaxation of peroxide vulcanizates (2) 370
- DYCKES, G. W., see SEELEY, R. D. (4) 924
- ECCHER, S., see ANGIOLETTI, A. (5) 1115
- EITINGON, I. I. see TARASOVA, Z. N. (3) 661
666
- ERUSALIMSKII, B. L., I. G. KRASNOSELSKAYA, and V. V. MAZUREK, Polymerization of chloroprene in the presence of organometallic compounds: the system chloroprene-butyllithium (4) 991
- FAINA, S., see SARTORI, G. (3) 620
- FEDOROVA, T. V., see TARASOVA, Z. N. (3) 661
666
- FELDSHTEIN, M. S., see DOGADKIN, B. A. (1) 204
- FERGUSON, C., Infrared and nuclear magnetic resonance studies of microstructures of polychloroprenes (3) 532
- FETTES, E. M., see ANGIER, D. J. (5) 1164
- FOURNIER, P., see RIBAILLIER, D. (2) 450
- GAMBLE, L. W., L. WESTERMAN, and E. A. KNIPP, Molecular weight distribution of elastomers—comparison of gel permeation chromatography with other techniques (4) 823
- GARVEY, B. S., Jr., Rubber chemistry: a great adventure (3) xi
- GEE, G., see BOOTH, C. (2) 314
325
- GEHMAN, S. D., F. S. MAXEY, and S. R. OGILBY, Vulcanometer determination of best cure (4) 757
- GENT, A. N., Elastic stability of rubber compression springs (2) 415
- , P. B. LINDLEY, and A. G. THOMAS, Cut growth and fatigue of rubbers. I. The relationship between cut growth and fatigue (2) 292
- GESNER, B. D., Graft copolymerization: on the structure of the graft phase and the mechanism of grafting polybutadiene rubber (3) 655
- GILES, C. G., B. E. SAREY, and K. H. F. CARDEW, Development and performance of the portable skid resistance tester (4) 840
- GOLDBERO, E. P., Elastomeric polycarbonate block copolymers (2) 431
- GREENBERG, H., see HANSLEY, V. L. (1) 103
- GRUVER, J. T., and K. W. ROLLMANN, Antioxidant properties of carbon black in unsaturated elastomers. Studies with *cis*-polybutadiene (3) 636
- , and G. KRAUS, Rheological properties of polybutadienes prepared by *n*-butyllithium initiation (4) 881
893
907
- HALL, G. L., J. D. RIGBY, and J. W. LISKA, Liquid-metal-bath stress-strain apparatus (4) 782
- HALPIN, J. C., Fracture of amorphous polymeric solids: time to break (2) 263
- , Molecular view of fracture in amorphous solids (5) 1007
- , and F. BUECHE, Fracture of amorphous polymeric solids: reinforcement (2) 278
- HANSLEY, V. L., and H. GREENBERG, Control of alfin rubber molecular weight (1) 103
- HAWARD, R. N., B. WRIGHT, G. R. WILLIAMSON and G. THACKRAY, Effect of blending on molecular weight distribution of polymers (3) 539
- , and J. MANN, Reinforced thermoplastics (5) 1180
- HELBERG, J., see SCHEELE, W. (1) 189
- HELMER, J. D., see POLMANTEER, K. E. (1) 123
- HENDERSON, J. F., J. M. HULME, R. M. B. SMALL, and H. L. WILLIAMS, Determination of molecular weight distributions of elastomers with the ultracentrifuge (4) 817
- HODGES, H. C., see CODDINGTON, D. M. (4) 741
- HOLDEN, G., see BOOTH, C. (2) 314
- HOLLINGSHEAD, W. S., see SPACHT, R. B. (1) 134
- HSIEH, H. L., Microstructures of polydienes prepared from alkylolithium (4) 863
- HULME, J. M., see HENDERSON, J. F. (4) 817
- HUMMEL, K., and G. KAISER, Vulcanization of elastomers. 44. Vulcanization of polybutadiene with cumyl peroxide, I. (3) 581
- HWA, C. S., see BANKS, S. A. (1) 158
- JACKSON, W. L., see COLLINS, J. M. (2) 400
- JOHNSON, J. F., see PORTER, R. S. (2) 243
- JOHNSON, W. D., see URANECK, C. A. (4) 802
- JONES, M. N., see BOOTH, C. (2) 325
- JUVE, A. E., see BEATTY, J. R. (4) 719
- KAISER, G., see HUMMEL, K. (3) 581
- KEARSLEY, E. A., see BERNSTEIN, B. (1) 76
- KERRUTT, G., see SCHEELE, W. (1) 176
- KEYTE, D. N., see WALTERS, M. H. (1) 62
- KLEBANSKII, A. L., see MYULLER, B. E. (2) 452
- KNIPP, E. A., see GAMBLE, L. W. (4) 823
- KRASNOSELSKAYA, I. G., see ERUSALIMSKII, B. L. (4) 991
- KRAUS, G., Interaction of elastomers and reinforcing fillers (5) 1070
- , and J. T. GRUVER, Rheological roerties of multichain polybutadienes (4) 893
- , and J. T. GRUVER, Rheological properties of *cis*-polybutadiene (4) 907
- , and K. W. ROLLMANN, Behavior of *cis*-polybutadiene during mastication (3) 493
- , see GRUVER, J. T. (4) 881
- KRICBAUM, W. R., and R. J. ROE, Survey of the theory of rubberlike elasticity (5) 1039
- LAKE, G. J., and P. B. LINDLEY, Cut growth and fatigue of rubbers. II. Experiments on a noncrystallizing rubber (2) 301
- LEE, T. C. P., see NORLING, P. M. (5) 1198
- LINDLEY, P. B., see GENT, A. N. (2) 292
- , see LAKE, G. J. (2) 301
- LISKA, J. W., see HALL, G. L. (4) 782
- LOAN, L. D., Reaction between cumyl peroxide and butyl rubbers (1) 15
- , peroxide crosslinking of ethylene propylene rubber (1) 22
- , Crosslinking efficiencies of cumyl peroxide in unsaturated synthetic rubbers (3) 573
- MAASSEN, G. C., Symposium on physical testing (4) 687
- MAISEY, L. J., and J. SCANLAN, Crosslink formation during aging of natural rubber vulcanizates (2) 374
- MAKOWSKI, H. S., W. P. CAIN, and P. E. WEI, Readily curable chlorinated poly- α -olefins and ethylene- α -olefin copolymers (3) 599
- MANN, J., see HAWARD, R. N. (5) 1180
- MARSH, W. D., see CODDINGTON, D. M. (4) 741
- MARTEL, R. F., see RAUSCH, K. W. (1) 140
- MAURER, J. J., Relation between glass transition temperature and composition of ethylene propylene copolymers (4) 979
- MAXEY, F. S., see GEHMAN, S. D. (4) 757
- MAVOROVA, V. E., see SLOBODIN, D. M. (3) 674
- MAZUREK, V. V., see ERUSALIMSKII, B. L. (4) 991
- MEIER, D. J., see DAVISON, S. (3) 457
475

	Issue Page		Issue Page
MILLS, I. G., see PEARSON, R. W.	(1) 94	SEELEY, R. D., and G. W. DYCKES, Determination of effective crosslink density in silicone rubber	(4) 924
MITCHELL, J. C., Melting point of <i>cis</i> -1,4-polybutadiene	(4) 921	SENATORSKAYA, L. G., see TARASOVA, Z. N.	(3) 661
MYLLER, B. E., N. P. APUKHTINA, and A. L. KLEBANSKII, Influence of chemical structures of polyurethanes on their crystallization capacities	(2) 452	SIMONAZZI, T., see BUCCI, G.	(2) 334
NATTA, G., From stereospecific polymerization to asymmetric autocatalytic synthesis of macromolecules	(1)xxxvii	SKEWIS, J. D., Measurement of rubber tack	(4) 689
NORLING, P. M., T. C. P. LEE, and A. V. TOBOLSKY, Structure and reactivity in oxidation of elastomers ..	(5) 1198	SLICHTER, W. P., and D. D. DAVIS, Nuclear magnetic resonance studies of molecular motion in some elastomers ..	(3) 517
OGLBY, S. R., see GEHMAN, S. D.	(4) 757	SLOBODIN, YA. M., V. E. MAVOROVA, and A. M. SMIRNOVA, Thermal degradation of ethylene propylene rubber. C ₂ -C ₆ hydrocarbons as thermal decomposition products of SKEP	(3) 674
OSWALD, H. J., see PAPERIO, P. V.	(4) 999	SLONIMSKII, G. L., see REZTSOVA, E. V.	(3) 657
OURBRIDGE, P. S., see COLLINS, J. M.	(2) 400	SMALL, R. M. B., see HENDERSON, J. F.	(4) 817
PAPERIO, P. V., R. C. WINCKLHOFF, and H. J. OSWALD, Mechanism of tire flatspotting and its relation to fiber properties	(4) 999	SMIRNOVA, A. M., see SLOBODIN, YA. M.	(3) 674
PARISHER, R., see AUFDERMARSH, C. A., Jr.	(3) 526	SNISARENKO, A. M., see TARASOVA, Z. N.	(3) 666
PATTERSON, R. G., and R. K. ANDERSON, Fatigue failure in nylon reinforced tires	(4) 832	SPACHT, R. B., W. S. HOLLINGSHEAD, H. L. BULLARD and D. C. WILLS, Volatility of antioxidants and antioxidants. II. Effect on rubber testing ..	(1) 134
PAYNE, A. R., Study of carbon black structures in rubber	(2) 387	STEIN, R. S., see YAU, W.	(1) 58
PEARSON, R. W., see BENNETT, J. V.	(1) 94	SUITO, E., and M. ARAKAWA, Infrared studies of the rubber-filler system. I. Infrared absorption spectra of inorganic fillers	(1) 219
PEDEMONTI, E., and U. BIANCHI, Dilatometric measurement of a transition of <i>cis</i> -1,4-polybutadiene	(2) 347	—, Infrared studies of the rubber-filler system. II. Identification of rubbers compounded with fillers by infrared absorption spectra	(1) 227
POLMANTEER, K. E., and J. D. HELMER, Complexities of crosslink density in filled elastomers	(1) 123	SZUKIEWICZ, W., see BERGER, S. E.	(1) 150
POLVARA, O., see ANGIOLETTI, A.	(5) 1115	TARASOVA, Z. N., I. I. EITTINGTON, L. G. SENATORSKAYA, T. V. FEDOROVA, and B. A. DOGADKIN, Phenothiazine as an antifatigue agent for natural rubber, synthetic polyisoprene and SBR	(3) 661
PORTER, R. S., and J. F. JOHNSON, Polyisobutene degradation in laminar flow: composition and shear variables ..	(2) 243	—, I. I. EITTINGTON, L. G. SENATORSKAYA, T. V. FEDOROVA, A. M. SNISARENKO, G. L. ANDRONOVA, and B. A. DOGADKIN, Effect of thio-derivatives of amines and phenols on the behavior toward thermo-mechanical treatment and on fatigue of vulcanizates ..	(3) 666
RAUSCH, K. W., R. F. MARTEL, and A. A. R. SAYIGH, Structure-property relationships in one-step urea-urethane elastomers	(1) 140	TAWNEY, P. O., W. J. WENISCH, S. VAN DER BURG, and D. I. RELYEA, Vulcanization with maleimides	(2) 352
RAE, J. A., see BANKS, S. A.	(1) 158	TAYLOR, C. E., Diaphragm vulcanized adhesion test method	(4) 791
RELYEA, D. I., see TAWNEY, P. O.	(2) 352	TAYLOR, G. L., see BOONSTRA, B. B.	(4) 943
REYNOLDS, R. J., see DAVISON, S.	(3) 457	TAYLOR, W. D., see BOOTH, C.	(2) 325
REZTSOVA, E. V., G. V. CHUBAROVA, and G. L. SLONIMSKII, Mechanochemical effects in fatigue of rubber	(3) 657	THACKRAY, G., see HAWARD, R. N.	(3) 539
RIBAILLIER, D., T. C. CUONG, and P. FOURNIER, Influence of regeneration of reduced triphosphopyridine nucleotide (TPN) on formation of <i>cis</i> -polyisoprene in <i>hevea brasiliensis</i>	(2) 450	THOMAS, A. G., see GENT, A. N.	(2) 292
RIGBY, J. D., see HALL, G. L.	(4) 782	TOBOLSKY, A. V., see NORLING, P. M.	(5) 1198
ROE, R.-J., see KRIGBAUM, W. R.	(5) 1039	TOMPKINS, E. S., Tires for modern roads	(5) viii
ROLLMANN, K. W., see GRUVER, J. T.	(3) 636	URANECK, C. A., M. G. BARKER, and W. D. JOHNSON, Determination of molecular weight distributions of diene-containing rubbers by precipitation chromatography	(4) 802
—, see KRAUS, G.	(3) 493	VALVASSORI, A., see SARTORI, G.	(3) 620
RONAY, M., Nonhomogeneous straining and fracture mechanism in a filled elastomer	(2) 248	VANDERBILT, B. M., and R. E. CLAYTON, Bonding of fibrous glass to elastomers	(2) 379
SABBY, B. E., see GILES, C. G.	(4) 840	VAN DER BURG, S., see TAWNEY, P. O.	(1) 352
SAPPER, D. I., see WU, R. T.	(4) 730	VAN DER HOFF, B. M. E., Reactions between peroxide and polydiolefins ..	(3) 560
SARTORI, G., A. VALVASSORI, and S. FAINA, Ethylene propylene dicyclopentadiene terpolymerization	(3) 620	VEITH, A. G., A new tear test for rubber ..	(4) 700
SAXENA, K. K., and S. BANERJEE, Compounding styrene-butadiene rubber with shellac. II	(1) 212	VOET, A., Fundamental properties of high structure blacks	(3) 677
SAYIGH, A. A. R., see RAUSCH, K. W.	(1) 140	WALTERS, M. H., and D. N. KEYTE, Heterogeneous structure in blends of rubber polymers	(1) 62
SCANLAN, J., Swelling of vulcanized rubbers in binary solvent mixtures	(4) 940	WEI, P. E., see MAKOWSKI, H. S.	(3) 599
—, see MAISEY, L. J.	(2) 375	WENISCH, W. J., see BEVILACQUA, E. M.	(3) 647
SCHUELE, W., and J. HELBER, Vulcanization of elastomers. 40. Vulcanization of natural rubber and synthetic rubber with sulfur in presence of sulfenamides. III.	(1) 189		
—, and G. KERUTZ, Vulcanization of elastomers. 39. Vulcanization of natural and synthetic rubbers by sulfur and sulfenamides. II.	(1) 176		

	Issue Page		Issue Page
——, see TAWNEY, P. O.	(2) 352	WU, R. T., and D. I. SAPPER, An im-	
WESTERMAN, L., see GAMBLE, L. W. ..	(4) 823	proved flexing machine. I. Description	
WHITBY, G. S., Sir William A. Tilden .	(1) xii	and application to studies of cut	
WILLIAMS, H. L., see HENDERSON, J. F. (4)	817	growth	(4) 730
WILLIAMSON, G. R., see BOOTH, C.	(2) 314	YAU, W., and R. S. STEIN, Light scat-	
——, see HAWARD, R. N.	(3) 539	tering from crystalline superstructure	
WILLS, D. C., see SPACHT, R. B.	(1) 134	in stretched natural rubber	(1) 58
WINCKLHOFF, R. C., see PAPERIO, P. V. (4)	999	ZAPAS, L. J., see BERNSTEIN, B.	(1) 76
WOFFORD, C. F., see ZELINSKI, R. P. (4)	871	ZELINSKI, R. P., and C. F. WOFFORD,	
WOLSTENHOLME, W. E., Polymer flow		Synthesis of trichain and tetrachain	
behavior from multispeed viscometry (4)	769	radial polybutadienes	(4) 871
WORSFOLD, D. J., and S. BYWATER, An-		ZERRINI, V., see ANGIOLETTI, A.	(5) 1115
ionic polymerization of isoprene	(3) 627	ZIEGLER, K., Consequences and develop-	
WRIGHT, B., see HAWARD, R. N.	(3) 539	ment of an invention	(1) xxiii

SUBJECT INDEX

	Issue	Page		Issue	Page
Abrasion, of tread stocks	(3)	457	Elasticity of rubber (Review)	(5)	1039
laboratory apparatus	(3)	457	Ethylene, copolymerization	(3)	599
Accelerators, mechanism of action	(1)	1	Ethylene propylene rubber and terpoly-		
reaction with rubber	(1)	204	mers, dicyclopentadiene	(3)	620
sulfenamide	(1)	176	dynamic application	(4)	967
		189	glass temperature and composition	(4)	979
Acrylonitrile butadiene styrene resins, in			microstructure	(2)	334
Review	(5)	1180	oxidation (Review)	(5)	1198
Acrylonitrile, see also nitrile rubber			tearing resistance	(4)	700
Aging, of latex (Review)	(5)	1214	thermal degradation	(3)	674
and oxidation (Review)	(5)	1198	vulcanization, crosslinking efficiency	(3)	590
of SBR	(3)	647	vulcanization with maleimides	(2)	352
Alfin polymers, control of molecular			vulcanization with peroxides	(1)	22
weight	(1)	103	Fabric fatigue	(4)	832
Alkylolithiums, as isoprene polymeriza-			Failure mechanisms (Review)	(5)	1007
tion catalysts	(4)	863	Fatigue, mechanisms	(2)	248
initiators for chloroprene polymeriza-					263
tion	(4)	991			278
Antifatigue agents	(3)	657			292
		661			301
		666	of noncrystallizing rubber	(2)	301
Antioxidants, carbon black as	(3)	636	of rubber	(3)	657
volatility	(1)	134			661
Apparatus, (laboratory) abrasion instru-			see also Review on fracture	(5)	1007
ment	(3)	475	Filler spectra	(1)	219
adhesion test method	(4)	791			227
birefringence and photoelasticity (In			Flatspotting of tires	(4)	999
Review)	(5)	1115	Flexcracking	(4)	730
cut-growth tester	(4)	730			
dilatometer	(2)	347	See also Fatigue		
metal-bath stress-strain	(4)	782	Fracture, of amorphous polymers	(2)	263
ring crack-growth tester	(4)	719			1007
skid-resistance tester	(4)	840	of reinforced polymers	(2)	278
tack measurement	(4)	689			1007
tear test	(4)	700	Friction, of elastomers	(1)	112
Biographical sketch, B. S. Garvey, Jr.	(3)	xxix	Garvey, B. S., Jr., biographical sketch	(3)	xxix
Birefringence (Review)	(5)	1115	Gel-permeation chromatography	(4)	823
Blends, properties of	(1)	62	Glass, bonding to elastomers	(2)	379
	(3)	539	Glass temperature, see transitions		
Butyl rubber	(4)	940	Grafting, on polybutadiene	(3)	655
crosslinking efficiency in vulcanization	(3)	590	Groove cracking	(4)	719
molecular weight distribution	(4)	823	see also Fatigue		
oxidation of (Review)	(5)	1198	Goodyear Medal address, B. S. Garvey,		
permeability and tire durability	(1)	158	Jr.	(3)	xi
peroxide vulcanizates	(1)	15	Impact strength (Review)	(5)	1164
stress relaxation	(3)	636			1180
Carbon black, as antioxidant	(4)	943	Infrared spectroscopy, of EPR	(2)	334
effect on swelling	(4)	700	polychloroprene	(3)	532
effect on tearing resistance	(5)	1070	Lambourn—see Apparatus, Abrasion re-		
interactions with elastomers (Review)	(2)	387	sistance		
structures in rubber	(3)	677	Latex, creaming	(2)	233
Chloroprene, alkylolithium polymerization	(4)	991	oxidation (Review)	(5)	1214
Chromatography, gel-permeation	(4)	823	surface tension	(1)	170
precipitation	(4)	802	Lithium alkyls, in polymerization	(3)	627
Crosslink density, of elastomers	(1)	123			863
see also swelling, vulcanization, and			Loss modulus and energy losses in tires	(2)	400
individual rubbers			Maleimides as vulcanizing agents	(2)	352
Crosslinking, during aging	(2)	374	Mastication, of polybutadiene	(3)	493
Crystallinity, of natural rubber	(1)	35	see also, Degradation		
		45	Microstructure, of EPR	(2)	334
		48	of polychloroprenes	(3)	532
of polyurethans	(2)	452	of polydienes	(4)	863
Cut growth, and fatigue	(2)	292	Molecular weight, control of alfin poly-		
see also Apparatus, Fatigue, Failure,			mer	(1)	103
Ring			blending, effect of on distributions	(3)	539
Degradation, mechanical, of polymers	(3)	509	distribution	(4)	802
of polybutadiene by mastication	(3)	493			823
shear, of polyisobutene	(2)	243	effect of mastication on viscosity and,		
thermal, of EPT	(3)	674	of SBR	(4)	961
Dilatometry, of polybutadiene	(2)	347	Multispeed viscometry	(4)	769
Durability, of tires	(4)	832			

	Issue Page		Issue Page
Natural rubber, abrasion resistance	(3) 457	Polyisoprene, peroxide vulcanization	(3) 560
aging	(2) 374	alkyllithium initiation	(4) 863
birefringence and photoelasticity (Review)	(5) 1115	see also Natural rubber	
blends	(1) 62	Polymer-liquid thermodynamics	(2) 314
carbon black structure	(2) 387		325
crystallization under strain	(1) 45	Polymerization, of chloroprene	(4) 991
crystallinity	(1) 58	ethylene and α -olefins	(3) 599
cut-growth resistance	(2) 292	EPT	(3) 620
	(4) 719	grafting on polybutadiene	(3) 655
	730	isoprene	(3) 627
fatigue	(3) 657	Polymers, impact resistance of	(5) 1164
	666		1180
mechanical degradation	(3) 509	curable- α -olefin	(3) 599
microstructure	(1) 90	oxidation of saturated (Review)	(5) 1198
morphology in films	(1) 33	see also individual polymers	
oxidation of (Review)	(5) 1198	Polystyrene, impact resistant (Review)	(5) 1164
oxidation of latex (Review)	(5) 1214		1180
peroxide vulcanization	(2) 367	Polyurethan, fracture mechanisms	(2) 248
reaction with accelerators	(1) 204	crystallinity and structure	(2) 452
skid resistance	(1) 112	structure and properties	(1) 140
solvent swelling	(4) 940		150
	943	Pressure buildup, in tire carcass	(1) 158
sulfenamide vulcanization	(1) 176	Propylene, see ethylene	
	189	Radiation vulcanization	(1) 94
synthesis of	(2) 450	Rheology, of polybutadiene	(4) 881
thermodynamics of solvent-rubber systems	(2) 314		893
	325	filled elastomers (in Review)	(5) 1070
tack	(4) 689	measurement of	(4) 769
tearing resistance	(4) 700	multichain polybutadienes	(4) 893
vulcanization	(1) 1	Ring crack-growth test	(4) 719
Nitrile rubber, peroxide vulcanization	(3) 573	Roads, effect on skidding	(4) 840
impact resistant polymers (Review)	(5) 1164	effect on tread wear	(3) 457
	1180	Rubber blends, structure in	(1) 62
Nobel award address, Ziegler, K.	(1) xxiii	Rubber reviews	
Natta, G.	(1) xxxvii	birefringence and photoelasticity	(5) 1115
Nuclear magnetic resonance	(1) 90	elastomer oxidation	(5) 1198
studies of elastomers	(3) 517	fracture of amorphous solids	(5) 1007
studies of polychloroprene	(3) 532	latex oxidation	(5) 1214
Nylon, fatigue in tires	(4) 832	reinforced polymers	(5) 1164
α -Olefins, curable polymers from	(3) 599		1180
see also individual olefins		reinforcing fillers in elastomers	(5) 1070
Peroxide, vulcanization efficiency	(3) 560	rubberlike elasticity	(5) 1039
	573	Rubber tack	(4) 689
	581	Rubber testing, see Apparatus	
in polymer oxidation (Review)	(5) 1198	Rubberlike elasticity (Review)	(5) 1039
as vulcanizing agent	(1) 15	Shear degradation of polyisobutene	(2) 243
	22	Shellac, in SBR	(1) 212
Polybutadiene, abrasion resistance	(3) 457	Silica, interaction with elastomers (in Review)	(5) 1070
alkyllithium initiated	(4) 863	Silicone rubber, crosslink density of	(4) 924
blends	(1) 62	Skid resistance	(1) 112
carbon black as antioxidant in	(3) 636	tester	(4) 840
cut-growth resistance	(4) 719	Sol-gel analysis	(2) 367
	730	Solvents, see Crosslink, Swelling	
grafting on	(3) 655	Springs, stability and elastic moduli of rubber	(2) 415
mastication of	(3) 493	Style in RUBBER CHEMISTRY and TECHNOLOGY	(4) x
melting point of	(4) 921	Stress relaxation	(1) 76
molecular weight distribution	(4) 802	rubber purity and	(2) 370
	817	Structure of carbon black, (Review)	(5) 1070
NMR	(3) 517	in rubber	(2) 387
peroxide vulcanization	(3) 560		677
	573	Styrene butadiene rubber, abrasion resistance	(3) 457
	581	aging of	(3) 647
reaction with accelerators	(1) 204	skin type	(1) 62
transition of	(2) 343	compounding with shellac	(1) 212
	347	cut-growth resistance	(4) 719
tri- and tetrachain polymers	(4) 871		730
Polycarbonate, elastomeric block copolymers	(2) 431	failure mechanism	(2) 263
Photoelasticity in rubber (Review)	(5) 1115		278
Polyblends (Review)	(5) 1164	fatigue of	(3) 661
	1180	flow behavior	(4) 769
Polychloroprene, in blends	(1) 62	mastication, effect of	(4) 961
cut-growth resistance	(4) 719	molecular weight distribution	(4) 802
cis	(3) 526		817
Polydiene, microstructure	(4) 863	oxidation of (Review)	(5) 1164
Polyethylene, molecular weight distribution of blends	(3) 539	permeability and durability of tires	(1) 158
copolymers	(3) 599		
Polyisobutene, NMR	(3) 517		
shear degradation	(2) 243		

	Issue	Page		Issue	Page
radiation vulcanization	(1)	94	skid resistance	(4)	840
reaction with accelerators	(1)	204	tread stock abrasion resistance	(3)	457
skid resistance	(1)	112	Tilden, William A.	(1)	xii
vulcanizate swelling	(4)	940	Thermodynamics of rubber-solvent systems	(2)	314
tack	(4)	689	Transition in polybutadiene	(2)	343
tearing resistance	(4)	700	TPN and polyisoprene	(1)	450
vulcanization with maleimides	(2)	352	Ultracentrifuge molecular weights	(4)	817
vulcanization with peroxides	(3)	573	Urea-urethan elastomers	(1)	140
Swelling, in binary solvents	(4)	940	Vibration, isolation with EPT	(4)	967
filled vulcanizates	(4)	943	Viscometry of elastomers	(4)	769
filled vulcanizates (Review)	(5)	1070	Viscosity, of SBR	(4)	961
see also Thermodynamics of Rubber-solvent systems			of polybutadienes	(4)	881
Tack of rubber, measurement	(4)	689			893
Tear, test for rubber	(4)	700	of filled elastomers (in Review)	(5)	1070
testing of (Review)	(5)	1007	Vulcanization, crosslinking during aging	(2)	374
Thermodynamics of rubber-solvent systems	(2)	314	crosslinking low unsaturation rubbers	(3)	590
Tire, design of modern	(5)	viii	cumyl peroxide	(3)	560
durability testing	(1)	158	maleimide	(2)	352
	(4)	741	mechanism of natural rubber	(1)	1
		832	peroxide of natural rubber	(2)	367
Tires, energy losses in	(2)	400	radiation	(1)	94
fabric fatigue in	(4)	832	rubber with sulfenamides	(1)	176
flatspotting of	(4)	999			189
groove cracking	(4)	719	silicone rubber	(4)	924
			vulcameter for cure determination ..	(4)	757

